

# QUIET SPACE



4-5	Introduction
6-7	Square
8-9	Circle
10-11	Half Circle
12-17	Rectangle
18-25	Rectangle Divide
26-29	Rectangle Triple
30-31	Rectangle Quad
32-35	Loop
36-37	Loop Divide
38-43	Half Loop
44-45	Endless Possibilities
46-47	Accessories



The workplace and the way we work are constantly evolving. We are continually required to create new spaces within existing environments with an increasing demand on **flexibility**. To meet this demand Quiet Space (Q.S.) was conceived. Originally designed to provide a unique, **flexible** office pod experience.

The **flexible** nature of the manufacturing allows almost any shape or size to be created, leaving few limitations to the product, only your imagination. This **flexibility** is embedded within the product in all forms including height, width and depth (all of which can be specified to any mm increment), panel finish, footprint and AV integration, all of which can be tailored to your exact requirements. All pods are supplied with integrated sliding doors and ceilings are fitted with LED lighting operated with a PIR.

Q.S. utilises a post and crossrail framework and is tested with a 29dB sound insulation rating, ensuring that privacy is maintained where specified. Q.S. panels are incredibly **flexible** and can be finished with many materials including fabrics, glazing and whiteboards. They are individually tested and certified to BSEN1023 parts 1, 2 and 3. Furthermore, Q.S. is not fixed to walls, floors or ceilings and is a clean build. The pods are quick and easy to install with most models being suitable for a two person build in less than 5 hours. This **flexibility** gives the user future-proofing as the product can be extended, contracted or relocated.

The **flexibility** within Q.S. allows inviting areas to be created which can be specially designed to work in conjunction with existing office furniture and structures, resulting in employees having access to their optimal environment for working; a truly agile solution. To stimulate your imagination we have produced 72 standard options. These options are a starting point, as **flexibility** is paramount, please specify them as they are or show us what you would like to have instead.

**Warranty** - Q.S. provides a 5 year guarantee against defects providing that the product has only been subjected to normal wear and tear and has not been misused or abused. Fabrics are excluded, please see manufacturer for their guarantee.



**Flexibility** - Q.S. can be manufactured to any shape or size allowing you full adaptability. The options shown here are examples of what can be created.



**Sound Absorbing** - Q.S. pods are tested and rated at 29dB noise reduction based on half the panels being fabric and half glazed. Certificate No. 22348 T01.



**Power** - Q.S. panels can be fitted with a range of power and charge solutions to enhance working areas. All cabling is hidden within the product and terminates at floor level.




**Magnetic** - Q.S. can be manufactured with several different magnetic panel finishes, including magnetic wipe board and magnetic glass creating added value within the product.






Model shown: Q3/3SQ



**Q2/2SQ**  

H: 2200mm/2400mm  
W: 2000mm  
D: 2000mm


Suitable for 1 person  
Footprint= 4m<sup>2</sup>  
Table shown 1700mm x 800mm



**Q2.5/2.5SQ**  

H: 2200mm/2400mm  
W: 2500mm  
D: 2500mm

Suitable for 3 people  
Footprint= 6.25m<sup>2</sup>  
Table shown Ø800mm



**Q3/3SQ**  

H: 2200mm/2400mm  
W: 3000mm  
D: 3000mm

Suitable for 4 people  
Footprint= 9m<sup>2</sup>  
Table shown Ø1000



**Q3.5/3.5SQ**  


H: 2200mm/2400mm  
W: 3500mm  
D: 3500mm

Suitable for 4 people  
Footprint= 12.25m<sup>2</sup>  
Table shown Ø1200

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q3CI

**Q3CI**

H: 2200mm/2400mm  
Ø: 3000mm

Suitable for 4 people  
Footprint= 7m<sup>2</sup>  
Table shown Ø1000

**Q3CW**

H: 2200mm/2400mm  
Ø: 3000mm


Suitable for 4 people  
Footprint= 7m<sup>2</sup>  
Table shown Ø600

**Q3.5CI**

H: 2200mm/2400mm  
Ø: 3500mm

Suitable for 4 people  
Footprint= 9.62m<sup>2</sup>  
Table shown Ø1200

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



**Q3HCC**  

H: 2200mm/2400mm  
W: 3000mm  
D: 1500mm


Suitable for 2 people  
Footprint= 3.5m<sup>2</sup>  
Table shown Ø600



**Q3.5HCC**  

H: 2200mm/2400mm  
W: 3500mm  
D: 1500mm


Suitable for 2 people  
Footprint= 4.81m<sup>2</sup>  
Table shown Ø800



**Q3HCS**  

H: 2200mm/2400mm  
W: 3000mm  
D: 1500mm


Suitable for 2 people  
Footprint= 3.5m<sup>2</sup>  
Table shown Ø600



**Q3.5HCS**  

H: 2200mm/2400mm  
W: 3500mm  
D: 1500mm


Suitable for 2 people  
Footprint= 4.81m<sup>2</sup>  
Table shown Ø800



**Q3HCO**  

H: 2200mm/2400mm  
W: 3000mm  
D: 1500mm

Suitable for 2 people  
Footprint= 3.5m<sup>2</sup>  
Table shown Ø600



**Q3.5HCO**  

H: 2200mm/2400mm  
W: 3500mm  
D: 1500mm

Suitable for 2 people  
Footprint= 4.81m<sup>2</sup>  
Table shown Ø800

Model shown: Q3HCO


Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



RECTANGLE



Model shown: Q3/6RE



**Q1.5/2RE**



H: 2200mm/2400mm  
W: 1500mm  
D: 2000mm

Suitable for 1 person  
Footprint= 3m<sup>2</sup>  
Table shown 1200mm x 800mm



**Q2/2.5RE**



H: 2200mm/2400mm  
W: 2000mm  
D: 2500mm

Suitable for 2 people  
Footprint= 5m<sup>2</sup>  
Table shown Ø600mm



**Q2/3RE**



H: 2200mm/2400mm  
W: 2000mm  
D: 3000mm

Suitable for 2 people  
Footprint= 6m<sup>2</sup>  
Table shown Ø800mm



**Q2/3.5RE**



H: 2200mm/2400mm  
W: 2000mm  
D: 3500mm

Suitable for 2 people  
Footprint= 7m<sup>2</sup>  
Table shown 1700mm x 1000mm


Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



RECTANGLE



Model shown: Q3/4RE



**Q2.5/3RE**  

H: 2200mm/2400mm  
W: 2500mm  
D: 3000mm


Suitable for 3 people  
Footprint= 7.5m<sup>2</sup>  
Table shown Ø800mm



**Q2.5/4RE**  

H: 2200mm/2400mm  
W: 2500mm  
D: 4000mm

Suitable for 3 people  
Footprint= 10m<sup>2</sup>  
Table shown Ø1000



**Q3/3.5RE**  

H: 2200mm/2400mm  
W: 3000mm  
D: 3500mm

Suitable for 4 people  
Footprint= 10.5m<sup>2</sup>  
Table shown 1200mm x 1800mm



**Q3/4RE**  

H: 2200mm/2400mm  
W: 3000mm  
D: 4000mm

Suitable for 5 people  
Footprint= 12m<sup>2</sup>  
Table shown 1200mm x 1800mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



RECTANGLE



**Q3/4.5RE**



H: 2200mm/2400mm  
W: 3000mm  
D: 4500mm

Suitable for 5 people  
Footprint= 13.5m<sup>2</sup>  
Table shown 1200mm x 2100mm




**Q3/5RE**



H: 2200mm/2400mm  
W: 3000mm  
D: 5000mm

Suitable for 6 people  
Footprint= 15m<sup>2</sup>  
Table shown 1200mm x 2100mm




**Q3/5.5RE**



H: 2200mm/2400mm  
W: 3000mm  
D: 5500mm

Suitable for 6 people  
Footprint= 16.5m<sup>2</sup>  
Table shown 1200mm x 2700mm



**Q3/6RE**



H: 2200mm/2400mm  
W: 3000mm  
D: 6000mm


Suitable for 6 people  
Footprint= 18m<sup>2</sup>  
Table shown 1200mm x 3000mm

Model shown: Q3/5.5RE

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q6/3RD




**Q4/2RD**



H: 2200mm/2400mm  
W: 4000mm  
D: 2000mm

Suitable for 2 people  
Footprint= 8m<sup>2</sup>  
Table shown 1740mm x 790mm



**Q4.5/2RD**



H: 2200mm/2400mm  
W: 4500mm  
D: 2000mm

Suitable for 4 people  
Footprint= 9m<sup>2</sup>  
Table shown Ø600mm



**Q5/2RD**



H: 2200mm/2400mm  
W: 5000mm  
D: 2000mm

Suitable for 4 people  
Footprint= 10m<sup>2</sup>  
Table shown Ø600mm




**Q5.5/2RD**



H: 2200mm/2400mm  
W: 5500mm  
D: 2000mm

Suitable for 4 people  
Footprint= 11m<sup>2</sup>  
Table shown Ø600mm




**Q6/2RD**



H: 2200mm/2400mm  
W: 6000mm  
D: 2000mm

Suitable for 4 people  
Footprint= 12m<sup>2</sup>  
Table shown Ø800mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.




**Q4/2.5RD**



H: 2200mm/2400mm  
W: 4000mm  
D: 2500mm

Suitable for 4 people  
Footprint= 10m<sup>2</sup>  
Table shown Ø600mm



**Q4.5/2.5RD**



H: 2200mm/2400mm  
W: 4500mm  
D: 2500mm

Suitable for 4 people  
Footprint= 11.25m<sup>2</sup>  
Table shown Ø600mm



**Q5/2.5RD**



H: 2200mm/2400mm  
W: 5000mm  
D: 2500mm

Suitable for 6 people  
Footprint= 12.5m<sup>2</sup>  
Table shown Ø800mm




**Q5.5/2.5RD**



H: 2200mm/2400mm  
W: 5500mm  
D: 2500mm

Suitable for 6 people  
Footprint= 13.75m<sup>2</sup>  
Table shown Ø800mm



**Q6/2.5RD**




H: 2200mm/2400mm  
W: 6000mm  
D: 2500mm

Suitable for 6 people  
Footprint= 15m<sup>2</sup>  
Table shown Ø1000mm



Model shown: Q6/3RD




**Q4/3RD**



H: 2200mm/2400mm  
W: 4000mm  
D: 3000mm

Suitable for 4 people  
Footprint= 12m<sup>2</sup>  
Table shown Ø800mm



**Q4.5/3RD**



H: 2200mm/2400mm  
W: 4500mm  
D: 3000mm

Suitable for 4 people  
Footprint= 13.5m<sup>2</sup>  
Table shown Ø800mm



**Q5/3RD**



H: 2200mm/2400mm  
W: 5000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 15m<sup>2</sup>  
Table shown Ø800mm



**Q5.5/3RD**



H: 2200mm/2400mm  
W: 5500mm  
D: 3000mm

Suitable for 6 people  
Footprint= 16.5m<sup>2</sup>  
Table shown Ø800mm



**Q6/3RD**




H: 2200mm/2400mm  
W: 6000mm  
D: 3000mm

Suitable for 8 people  
Footprint= 18m<sup>2</sup>  
Table shown Ø1000mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q6/2.5RD




**Q4/3.5RD**



H: 2200mm/2400mm  
W: 4000mm  
D: 3500mm

Suitable for 4 people  
Footprint= 14m<sup>2</sup>  
Table shown Ø800mm



**Q4.5/3.5RD**



H: 2200mm/2400mm  
W: 4500mm  
D: 3500mm

Suitable for 4 people  
Footprint= 15.75m<sup>2</sup>  
Table shown Ø800mm



**Q5/3.5RD**



H: 2200mm/2400mm  
W: 5000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 17.5m<sup>2</sup>  
Table shown Ø1000mm



**Q5.5/3.5RD**



H: 2200mm/2400mm  
W: 5500mm  
D: 3500mm

Suitable for 6 people  
Footprint= 19.25m<sup>2</sup>  
Table shown Ø1000mm



**Q6/3.5RD**




H: 2200mm/2400mm  
W: 6000mm  
D: 3500mm

Suitable for 8 people  
Footprint= 21m<sup>2</sup>  
Table shown 1200mm x 1800mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



RECTANGLETRIPLE




### Q7/2.5RT



H: 2200mm/2400mm  
W: 7000mm  
D: 2500mm

Suitable for 6 people  
Footprint= 17.5m<sup>2</sup>  
Table shown Ø600mm



### Q8/2.5RT



H: 2200mm/2400mm  
W: 8000mm  
D: 2500mm

Suitable for 9 people  
Footprint= 20m<sup>2</sup>  
Table shown Ø800mm



### Q9/2.5RT




H: 2200mm/2400mm  
W: 9000mm  
D: 2500mm

Suitable for 9 people  
Footprint= 22.5m<sup>2</sup>  
Table shown Ø1000mm



Model shown: Q8/3RT




**Q7/3RT**



H: 2200mm/2400mm  
W: 7000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 21m<sup>2</sup>  
Table shown Ø800mm




**Q8/3RT**



H: 2200mm/2400mm  
W: 8000mm  
D: 3000mm

Suitable for 9 people  
Footprint= 24m<sup>2</sup>  
Table shown Ø800mm



**Q9/3RT**




H: 2200mm/2400mm  
W: 9000mm  
D: 3000mm

Suitable for 9 people  
Footprint= 27m<sup>2</sup>  
Table shown Ø1000mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q6/6RQ



**Q4/4RQ**  

H: 2200mm/2400mm  
W: 4000mm  
D: 4000mm

Suitable for 4 people  
Footprint= 16m<sup>2</sup>  
Table shown 1700mm x 800mm



**Q5/5RQ**  

H: 2200mm/2400mm  
W: 5000mm  
D: 5000mm

Suitable for 12 people  
Footprint= 25m<sup>2</sup>  
Table shown Ø800mm



**Q6/6RQ**  


H: 2200mm/2400mm  
W: 6000mm  
D: 6000mm

Suitable for 16 people  
Footprint= 36m<sup>2</sup>  
Table shown Ø1000mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q7/3LO



**Q5/3LO**  

H: 2200mm/2400mm  
W: 5000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 14.5m<sup>2</sup>  
Table shown 1200mm x 2100mm



**Q6/3LO**  

H: 2200mm/2400mm  
W: 6000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 16m<sup>2</sup>  
Table shown 1200mm x 2400mm



**Q7/3LO**  


H: 2200mm/2400mm  
W: 7000mm  
D: 3000mm

Suitable for 8 people  
Footprint= 19m<sup>2</sup>  
Table shown 1400mm x 3500mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



Model shown: Q6/3LO



**Q5/3.5LO**  

H: 2200mm/2400mm  
W: 5000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 17m<sup>2</sup>  
Table shown 1200mm x 2100mm



**Q6/3.5LO**  

H: 2200mm/2400mm  
W: 6000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 18.5m<sup>2</sup>  
Table shown 1200mm x 2400mm



**Q7/3.5LO**  


H: 2200mm/2400mm  
W: 7000mm  
D: 3500mm

Suitable for 8 people  
Footprint= 22.5m<sup>2</sup>  
Table shown 1400mm x 3500mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



LOOP DIVIDE



**Q5/3.5LD**



H: 2200mm/2400mm  
W: 5000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 17m<sup>2</sup>  
Table shown Ø1200mm



**Q6/3.5LD**



H: 2200mm/2400mm  
W: 6000mm  
D: 3500mm

Suitable for 8 people  
Footprint= 18.5m<sup>2</sup>  
Table shown 1200mm x 1800mm



**Q7/3.5LD**




H: 2200mm/2400mm  
W: 7000mm  
D: 3500mm

Suitable for 8 people  
Footprint= 22.5m<sup>2</sup>  
Table shown 1200mm x 1800mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.




Model shown: Q4/3HL



**Q2.5/3HL**  

H: 2200mm/2400mm  
W: 2500mm  
D: 3000mm

Suitable for 3 people  
Footprint= 6.5m<sup>2</sup>  
Table shown Ø800mm



**Q3/3HL**  

H: 2200mm/2400mm  
W: 3000mm  
D: 3000mm

Suitable for 4 people  
Footprint= 8m<sup>2</sup>  
Table shown Ø1000mm



**Q4/3HL**  

H: 2200mm/2400mm  
W: 4000mm  
D: 3000mm


Suitable for 5 people  
Footprint= 11m<sup>2</sup>  
Table shown 1200mm x 1800mm



HALF LOOP



Model shown: Q5/3HL



**Q5/3HL**  

H: 2200mm/2400mm  
W: 5000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 14m<sup>2</sup>  
Table shown 1000mm x 2200mm



**Q6/3HL**  

H: 2200mm/2400mm  
W: 6000mm  
D: 3000mm

Suitable for 6 people  
Footprint= 17m<sup>2</sup>  
Table shown 1000mm x 2200mm



**Q7/3HL**  

H: 2200mm/2400mm  
W: 7000mm  
D: 3000mm

Suitable for 8 people  
Footprint= 20m<sup>2</sup>  
Table shown 1200mm x 3300mm


Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



HALF LOOP



Model shown: Q4/3HL



**Q5/3.5HL**  

H: 2200mm/2400mm  
W: 5000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 16.5m<sup>2</sup>  
Table shown 1000mm x 2200mm



**Q6/3.5HL**  

H: 2200mm/2400mm  
W: 6000mm  
D: 3500mm

Suitable for 6 people  
Footprint= 20m<sup>2</sup>  
Table shown 1000mm x 2200mm



**Q7/3.5HL**  

H: 2200mm/2400mm  
W: 7000mm  
D: 3500mm

Suitable for 8 people  
Footprint= 23.5m<sup>2</sup>  
Table shown 1200mm x 3300mm

Above renders have ceilings removed to show inside details. Ceilings and lighting are included.



# ENDLESS POSSIBILITIES



## POWER POST - STANDARD

Sockets provided are OE Puma in light grey supplied in either 2 or 3 gang configurations with a variety of options available including power, USB charge, data and HDMI. All cabling is hidden within the post and terminates at floor or ceiling.



## POWER POST - ENHANCED

Sockets provided are Burland MEB-K supplied in 2 gang configurations with a variety of options available including power, USB charge, data and HDMI. All cabling is hidden within the post and terminates at floor or ceiling.



## SLOW CLOSE

Available for sliding doors providing automated closure function. Not available on curved pods.




## INTERLAY

This is a loose-lay underfloor system of tiles provided by Interface that can be used to absorb sound.



## TOP SHROUD

Supplied on all pods to partially conceal the down lighters, air circulation and associated wiring. They are 120mm high and manufactured from Perspex in a white frosted finish (code: S2000).



## LIGHTING

Lighting consists of 12 volt LED lamps fitted in down lighters. They are controlled by a passive infra-red sensor (PIR) and powered by a flexible mains lead extending from one of the posts.



## AIR CIRCULATION

An air circulation unit blows air into the pod at a maximum of 230m³ per hour and is operated when the lighting is illuminated.



## MONITOR MOUNTS

Available to hold monitors or TVs. Always fitted to a single or double power post. Able to hold monitors up to 60 inches wide.



## TOOL RAILS

Available for panels allowing accessories including paper trays and pen pots to be used.



## FLOOR TRACK

Supplied on all pods to ensure smooth operation of the sliding doors. The track is attached to the framework on either side of the door but is not attached to the floor, retaining the free standing nature of the pod.



## MAGNETIC WRITABLE GLASS

Available in a variety of colours allowing magnets to be used on dry wipe writable glass.



## MANIFESTATIONS

They are available in spots/strips or as bespoke logos and artwork. Usually supplied in opal frosted vinyl, alternative colours and styles are available.

